JOURNAL OF BIOMEDICAL MATERIALS RESEARCH

Editor-in-Chief:
James M. Anderson
University Hospitals of Cleveland
The Institute of Pathology of Case Western Reserve University
2074 Abington Road
Cleveland, OH 44106-2622

ASSISTANT EDITORS

John Brunski
Nobuo Nakabayashi
Robert M. Pilliar
John A. M. Ramshaw
Buddy Ratner
June Wilson-Hench

Editorial Board:

Toshihiro Akaike
Luigi Ambrosio
Kenneth J. Anusavice
Robert E. Baier
Sumner A. Barenberg
Lars M. Bjursten
Barbara D. Boyan
John L. Brash
Stanley A. Brown
Patrick T. Cahalan
Attar S. Chawla
Stephen D. Cook
Francis W. Cooke
Stuart L. Cooper
John E. Davies
Paul Ducheyne
Elaine Duncan
Jan Feijen
Jean A. Goggins
Steven R. Goldring
Steven L. Goodman
Stuart B. Goodman
Ulrich Gross
Robert Guidoin
Stephen R. Hanson
Garth W. Hastings
Kevin E. Healy
Michael N. Helmus
Larry L. Hench
Arne Hensten-Pettersen
Anne Hiltner
Allan S. Hoffman
Jeffrey O. Hollinger
Thomas Horbett
C. Rolfe Howlett
Jeffery A. Hubbell
Samuel F. Hulbert
Jean T. Jacob
Raju G. Kammula
Sandra S. Kaplan
J. Lawrence Katz
Sung Wan Kim
Un Young Kim
Joachim Kohn
Tadashi Kokubo
Kandice Kottke-Marchant
Martine LaBerge
William R. Lacefield
Cato T. Laurencin
Racquel Z. LeGeros
Jack Lemons
Linda C. Lucas
Roger E. Marchant
Takehisa Matsuda
Katharine Merritt
Antonios G. Mikos
Ivar A. Mjor
Peter Neuenschwander
Sharon J. Northup
Teruo Okano
Joon B. Park
J. Russell Parsons
Nicholas A. Peppas
Grace Lee Picciolo
Hanns Plenk
W. Monty Reichert
Clare M. Rimnac
Subrata Saha
Jeff M. Schakenraad
Frederick J. Schoen
Michael V. Sefton
Viktor L. Sevastianov
Steven M. Slack
Myron Spector
L. D. Timmie Topoleski
Michel Vert
Andreas von Recum
Leo Vroman
William R. Wagner
Jerome A. Werkmeister
David F. Williams
Ioannis V. Yannas
Nicholas P. Ziats

Assistant to the Editor:
Bonnie Berry

Editorial Production, John Wiley:
Michael J. Evans

Journal of Biomedical Materials Research (ISSN: 0021–9304) Volumes 39–43 are published monthly except semi-monthly in January, February, March, April, July, August, October, and November 1998 by John Wiley & Sons, Inc.

Copyright © 1998 John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under Sections 107 or 108 of the United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (508) 750-8400, fax (508) 750-4470.

Periodicals postage paid at New York, NY, and at additional mailing offices. Applied Biomaterials (Vol. 43, numbers 1–4) will be sent via Standard mail.

The code and copyright notice appearing at the bottom of the first part of an article in this journal indicate the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal use of specific clients, on the condition that the copier pat for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.

SUBSCRIPTION PRICE: (volumes 39–43, 1998): $2,995.00 in the U.S., $3,195.00 in Canada and Mexico, $3,345.00 outside North America. All subscriptions outside US will be sent by air. Payment must be made in US dollars drawn on a US bank. Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit andwhere reserve stock permits. Please allow four weeks for processing a change of address. For subscription inquiries, please call (212) 850-6645 or e-mail: SUBINFO@wiley.com.

POSTMASTER: Send address changes to *Journal of Biomedical Materials Research*, Caroline Rothaug, Director, Subscription Fulfillment and Distribution, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158.

ADVERTISING SALES: Advertising inquiries should be addressed to: Rosealee Lee, ARDEL, Inc., 6518 Walker Street, Suite 150, Minneapolis, MN 55426. Telephone (612) 927-8108. Fax (612) 927-8127.

REPRINTS: Reprint sales and inquiries should be directed to the customer service department, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158. Tel: 212-850-8776.

OTHER CORRESPONDENCE: Address all other correspondence to: *Journal of Biomedical Materials Research*, Publisher, Professional, Reference, and Trade Group, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

MANUSCRIPTS and correspondence concerning manuscripts under review should be sent to the Editor. *Information for Contributors* appears in the first and last issue of each volume. The contents of this journal are indexed in the following: *BIOSIS, Current Contents/Life Sciences, Engineering Index, Excerpta Medica, Index Medicus, Reference Update, Research Alert* (*ISI*), *Science Citation Index* (*ISI*), *SCISEARCH Database* (*ISI*), and *Biomedical Engineering Citation Index* (*BECI*).

This paper meets the requirements of ANSI/NISO #Z39.48-1992 (Permanence of Paper). ♾

Journal of Biomedical Materials Research
Author Index—Volume 40

Abatangelo, G. See Zacchi, V., 187
Ardoin, R. C. See Layman, D. L., 282
Aebischer, P. See Borkenhagen, M., 392
Aguado, E. See Guicheux, J., 560
Andersen, T. T. See Dee, K. C., 371
Andrianjatovo, H. See Ikenaga, M., 139
Arduino, J. M. See Torzilli, P. A., 132
Asakura, T. See Nishiyama, N., 458
Asami, K. See Hanawa, T., 530
Asaoka, K. See Hanawa, T., 530

Bachus, K. N. See Bloebaum, R. D., 104
Balazs, A. See Balooch, M. 539
Balooch, M.
—; Wu-Magidi, I-C.; Balazs, A.; Lundkvist, A. S.; Marshall, S. J.; Marshall, G. W.; Siekhaus, W. J.; Kinney, J. H.: Viscoelastic properties of demineralized human dentin measured in water with atomic force microscope (AFM)-based indentation, 539
Bao, J. Y. See Winet, H., 567
Baquey, C. See Pariente, J. L., 31
Bareille, R. See Pariente, J. L., 31
Barker, J. G. See Irvine, D. J., 498
Baskin, J. Z. See Vyavahare, N. R., 577
Baslé, M. F. See Moreau, M. F., 124
—; Grizon, F.; Pascaretti, C.; Lesourd, M.; Chappard, D.: Shape and orientation of osteoblast-like cells (Saos-2) are influenced by collagen fibers in xenogenic bone biomaterial, 350
Baumgartner, J. N.
—; Cooper, S. L.: Influence of thrombus components in mediating *staphylococcus aureus* adhesion to polyurethane surfaces, 660
Beatty, M. W.
—; Swartz, M. L.; Moore, B. K.; Phillips, R. W.; Roberts, T. A.: Effect of microfiller fraction and silane treatment on resin composite properties, 12
Benkowski, R. See Takami, Y., 24
Bentaleb, A.
—; Haïkel, Y.; Voegel, J. C.; Schaaf, P.: Kinetics of the homogeneous exchange of α-lactalbumine adsorbed on titanium oxide surface, 449
Bhat, V. D.
—; Truskey, G. A.; Reichert, W. M.: Using avidin-mediated binding to enhance initial endothelial cell attachment, 57
Bittner, G. D. See Herbert, C. B., 551
Bizios, R. See Dee, K. C., 371
Bloebaum, R. D.
—; Lundeen, G. A.; Bachus, K. N.; Ison, I.; Hofmann, A. A.: Dissolution of particulate hydroxyapatite in a macrophage organelle model, 104
—; See Kuo, T. Y., 475
Boettiger, D. See García, A. J., 48
Borchiellini, C. See Senni, K., 164
Bordenave, L. See Pariente, J. L., 31
Borkenhagen, M.
—; Clémence, J.-F.; Sigrist, H.; Aebischer, P.: Three-dimensional extracellular matrix engineering in the nervous system, 392
Bosetti, M.
—; Navone, R.; Rizzo, E.; Cannas, M.: Histochemical and morphometric observations on the new tissue formed around mammary expanders coated with pyrolytic carbon, 307
Braden, M. See Goodwin, C. J., 204
Briat, B. See Drubaix, I., 442
Brown, I. G. See Ignatius, M. J., 264
Brun, P. See Zacchi, V., 187
Brunet, P. See Nanci, A., 324
Burger, E. H. See Klein-Nulend, J., 614
Buser, D. See Cochran, D. L., 1

Caldwell, K. D. See Neff, J. A., 511
Cannas, M. See Bosetti, M., 307
—; See Santin, M., 434
Cansell, M. See Prigent-Richard, S., 275
Cao, Y. See Tong, W., 407
Cenni, E. See Stea, S., 545
Cervellati, M. See Savarino, L., 86
Cervellati, M. See Stea, S., 545
Cha, C.-J. See Jay, G. D., 414
Chappard, D. See Moreau, M. F., 124
—; See Baslé, M. F., 350
Chen, L.-W. See Young, T.-H., 385
Chen, J. See Tong, W., 407
Chuang, W.-Y. See Young, T.-H., 385
Ciapetti, G. See Savarino, L., 86
Clémence, J.-F. See Borkenhagen, M., 392
Clemens, J. A. M.
—; Klein, C. P. A. T.; Vriesde, R. C.; Rozing, P. M.; de Groot, K.: Healing of large (2 mm) gaps around calcium phosphate-coated bone implants: A study in goats with a follow-up of 6 months, 341
Cochran, D. L.
—; Schenk, R. K.; Lussi, A.; Higginbottom, F. L.; Buser, D.: Bone response to unloaded and loaded titanium implants with a sandblasted and acid-etched surface: A histometric study in the canine mandible, 1
Cooper, S. L. See Baumgartner, J. N., 660
Cortivo, R. See Zacchi, V., 187
Couillaud, S. See Guicheux, J., 560
Courtes, C. See Pariente, J. L., 31
Craig, R. G. See Mohsen, N. M., 224
Croes, H. J. E. See den Braber, E. T., 425

Daculsi, G. See Guicheux, J., 79
—; See Kimakhe, S., 336
—; See Guicheux, J., 560
—; See Gautier, H., 606

Daude, G. See Pariente, J. L., 31
de Boer M. J. See den Braber, E. T., 425
de Groot, K. See Clemens, J. A. M., 341
—; See Li, S., 520
de Ruijter, J. E. See den Braber, E. T., 291
—; See Hulshoff, J. E. G., 464
de Wijn, J. R. See Liu, Q., 257
—; Liu, Q., 358
—; See Liu, Q., 490
—; See Li, S., 520
Dee, K. C.
—; Andersen, T. T.; Bizios, R.: Design and function of novel osteoblast-adhesive peptides for chemical modification of biomaterials, 371
den Braber, E. T.
—; de Ruijter, J. E.; Ginsel, L. A.; von Recum, A. F.; Jansen, J. A.: Orientation of ECM protein deposition, fibroblast cytoskeleton, and attachment complex components on silicone microgrooved surfaces, 291
—; Jansen, H. V.; de Boer M. J.; Croes, H. J. E.; Elwenspoek, M.; Ginsel, L. A.; Jansen, J. A.: Scanning electron microscopic, transmission electron microscopic, and confocal laser scanning microscopic observation of fibroblasts cultured on microgrooved surfaces of bulk titanium substrata, 425
Deng, M.
—; Latour, R. A.; Ogale, A. A.; Shalaby, S. W.: Study of creep behavior of ultra-high-molecular-weight polyethylene systems, 214
Denyer, S. P. See Wassall, M. A., 365
Di Stefano, T. See Maxian, S. H., 171
Donati, M. E. See Savarino, L., 86
Downes, S. See Goodwin, C. J., 204
Drubaix, I.
—; Legeais, J.-M.; Mounier, F.; Briat, B.; Robert, L.; Renard, G.: Quantification and localization of hyaluronan in a PTFE polymer implanted in the corneal stroma, 442
Duchesnay, A. See Senni, K., 164
Ducheyne, P. See García, A. J., 48

Elwenspoek, M. See den Braber, E. T., 425
Evans, M. D. M.
—; Steele, J. G.: Polymer surface chemistry and a novel attachment mechanism in corneal epithelial cells, 621

Faivre, A. See Guicheux, J., 560
Faivre-Chauvet, A. See Gautier, H., 606
Feng, J. See Tong, W., 407
Filisko, F. E. See Mohsen, N. M., 224
Flautre, B. See Ikenaga, M., 139
Franke, R. P. See Wilke, A., 301
Fuhrmann, R. See Wilke, A., 301
Fujita, H.
—; Nakamura, T.; Tamura, J.; Kobayashi, M.; Katsura, Y.; Kokubo, T.; Kikutani, T.: Bioactive bone cement: Effect of the amount of glass–ceramic powder on bone-bonding strength, 145

García, A. J.
—; Ducheyne, P.; Boettiger, D.: Effect of surface reaction stage on fibronectin-mediated adhesion of osteoblast-like cells to bioactive glass, 48
Gauthier, O. See Guicheux, J., 560
Gautier, H.
—; Guicheux, J.; Grimandi, G.; Faivre-Chauvet, A.; Daculsi, G.; Merle, C.: *In vitro* influence of apatite-granule-specific area on human growth hormone loading and release, 606
Gilbert, J. L.
—: Step-polarization impedance spectroscopy of implant alloys in physiologic solutions, 233
Ginsel, L. A. See den Braber, E. T., 291
—; See den Braber, E. T., 425
—; See Hulshoff, J. E. G., 464
Giumelli, B. See Kimakhe, S., 336
Glueck, J. See Takami, Y., 24
Goei, S. W. See Klein-Nulend, J., 614
Goldman, M.
—; Pruitt, L.: Comparison of the effects of gamma radiation and low temperature hydrogen peroxide gas plasma sterilization on the molecular structure, fatigue resistance, and wear behavior of UHMWPE, 378
Goodman, S. B. See Pearson, M. L., 419
Goodwin, C. J.
—; Braden, M.; Downes, S.; Marshall, N. J.: Release of bioactive human growth hormone from a biodegradable material: Poly(ϵ-caprolactone), 204

Granchi, D. See Savarino, L., 86
Grande, D. A. See Torzilli, P. A., 132
Graper, J. C. See Vogler, E. A., 92
Gregory, J. C. See Kilpadi, D. V., 646
Griffith, L. G. See Irvine, D. J., 498
Grimandi, G. See Gautier, H., 606
Griss, P. See Wilke, A., 301
Grizon, F. See Baslé, M. F., 350
Guicheux, J.
—; Kimakhe, S.; Heymann, D.; Pilet, P.; Daculsi, G.: Growth hormone stimulates the degradation of calcium phosphate biomaterial by human monocytes macrophages *in vitro*, 79
—; See Kimakhe, S., 336
—; Gauthier, O.; Aguado, E.; Heymann, D.; Pilet, P.; Couillaud, S.; Faivre, A.; Daculsi, G.: Growth hormone-loaded macroporous calcium phosphate ceramic: *In vitro* biopharmaceutical characterization and preliminary *in vivo* study, 560
—; See Gautier, H., 606
Gupta, A. See Ignatius, M. J., 264

Haberstroh, K. See Jay, G. D., 414
Haïkel, Y. See Bentaleb, A., 449
Hanawa, T.
—; Asami, K.; Asaoka, K.: Repassivation of titanium and surface oxide film regenerated in simulated bioliquid, 530
Hardouin, P. See Ikenaga, M., 139
Herbert, C. B.
—; Nagaswami, C.; Bittner, G. D.; Hubbell, J. A.; Weisel, J. W.: Effects of fibrin micromorphology on neurite growth from dorsal root ganglia cultured in three-dimensional fibrin gels, 551
Heyligers, I. C. See Klein-Nulend, J., 614
Heymann, D. See Guicheux, J., 79
—; See Kimakhe, S., 336
—; See Guicheux, J., 560
Higginbottom, F. L. See Cochran, D. L., 1
Hirsch, D. See Vyavahare, N. R., 577
Hisano, N.
—; Morikawa, N.; Iwata, H.; Ikada, Y.: Entrapment of islets into reversible disulfide hydrogels, 115
Hofmann, A. A. See Bloebaum, R. D., 104
Hubbell, J. A. See Herbert, C. B., 551
Huie, P. See Pearson, M. L., 419
Hulshoff, J. E. G.
—; van Dijk, K.; de Ruijter, J. E.;

Rietveld, F. J. R.; Ginsel, L. A.; Jansen, J. A.: Interfacial phenomena: An *in vitro* study of the effect of calcium phosphate (Ca-P) ceramic on bone formation, 464

Ignatius, M. J.
—; Sawhney, N.; Gupta, A.; Thibadeau, B. M.; Monteiro, O. R.; Brown, I. G.: Bioactive surface coatings for nanoscale instruments: Effects on CNS neurons, 264
Ikada, Y. See Hisano, N., 115
Ikenaga, M.
—; Hardouin, P.; Lemaître, J.; Andrianjatovo, H.; Flautre, B.: Biomechanical characterization of a biodegradable calcium phosphate hydraulic cement: A comparison with porous biphasic calcium phosphate ceramics, 139
Intaglietta, M. See Sakai, H., 66
Irvine, D. J.
—; Mayes, A. M.; Satija, S. K.; Barker, J. G.; Sofia-Allgor, S. J.; Griffith, L. G.: Comparison of tethered star and linear poly(ethylene oxide) for control of biomaterials surface properties, 498
Ison, I. See Bloebaum, R. D., 104
Iwata, H. See Hisano, N., 115

Jansen, H. V. See den Braber, E. T., 425
Jansen, J. A. See den Braber, E. T., 291
—; See den Braber, E. T., 425
—; See Hulshoff, J. E. G., 464
Jay, G. D.
—; Haberstroh, K.; Cha, C.-J.: Comparison of the boundary-lubricating ability of bovine synovial fluid, lubricin, and Healon, 414
Jeong, W. Y. See Kim, S. S., 401
Jozefonvicz, J. See Prigent-Richard, S., 275
Ju, Y. M. See Lee, J. H., 314

Katsura, Y. See Fujita, H., 145
Kerger, H. See Sakai, H., 66
Kern, P. See Senni, K., 164
Khang, G. See Lee, J. H., 180
Kiefer, W. See Posset, U., 640
Kienapfel, H. See Wilke, A., 301
Kikuchi, A. See von Recum, H. A., 631
Kikutani, T. See Fujita, H., 145
Kilpadi, D. V.
—; Raikar, G. N.; Liu, J.; Lemons, J. E.; Vohra, Y.; Gregory, J. C.: Effect of surface treatment on unalloyed titanium implants: Spectroscopic analyses, 646
Kim, H. W. See Kim, S. S., 401
Kim, S. S.
—; Jeong, W. Y.; Shin, B. C.; Oh, S. Y.; Kim, H. W.; Rhee, J. M.: Behavior of CHO cells on phosphated cellulose membranes, 401
Kim, S. W. See von Recum, H. A., 631
Kim, Y. H. See Lee, J. H., 314
Kimakhe, S. See Guicheux, J., 79
—; Heymann, D.; Guicheux, J.; Pilet, P.; Giumelli, B.; Daculsi, G.: Polymyxin B inhibits biphasic calcium phosphate degradation induced by lipopoly-saccharide-activated human monocytes/macrophages, 336
Kinney, J. H. See Balooch, M., 539
Klein, C. P. A. T. See Clemens, J. A. M., 341
Klein-Nulend, J.
—; Louwerse, R. T.; Heyligers, I. C.; Wuisman, P. I. J. M.; Semeins, C. M.; Goei, S. W.; Burger, E. H.: Osteogenic protein (OP-1, BMP-7) stimulates cartilage differentiation of human and goat perichondrium tissue *in vitro*; 614
Klitzman, B. See Sharkawy, A. A., 586
—; See Sharkawy, A. A., 598
Kobayashi, M. See Fujita, H., 145
Kokubo, T. See Fujita, H., 145
Koole, L. H. See van der Heiden, A. P., 195
Kuo, T. Y.
—; Skedros, J. G.; Bloebaum, R. D.: Comparison of human, primate, and canine femora: Implications for biomaterials testing in total hip replacement, 475

Latour, R. A. See Deng, M., 214
Layman, D. L.
—; Ardoin, R. C.: An *in vitro* system for studying osteointegration of dental implants utilizing cells grown on dense hydroxyapatite disks, 282
le Guillou, M. See Pariente, J. L., 31
Lee, H. B. See Lee, J. H., 180
Lee, J. H.
—; Khang, G.; Lee, J. W.; Lee, H. B.: Platelet adhesion onto chargeable functional group gradient surfaces, 180
—Ju, Y. M.; Lee, W. K.; Park, K. D.; Kim, Y. H.: Platelet adhesion onto segmented polyurethane surfaces modified by PEO- and sulfonated PEO-containing block copolymer additives, 314
Lee, J. W. See Lee, J. H., 180
Lee, W. K. See Lee, J. H., 314
Legeais, J.-M. See Drubaix, I., 442
Lemaître, J. See Ikenaga, M., 139
Lemons, J. E. See Kilpadi, D. V., 646
Lerner, E. See Vyavahare, N. R., 577
Lesourd, M. See Moreau, M. F., 124
—; See Baslé, M. F., 350
Letourneur, D. See Senni, K., 164
—; See Prigent-Richard, S., 275
Levy, R. J. See Vyavahare, N. R., 577
Leygraf, C. See Pan, J., 244
Li, J. See Pan, J., 244
Li, S.
—; Zheng, Z.; Liu, Q.; de Wijn, J. R.; de Groot, K.: Collagen/apatite coating on 3-dimensional carbon/carbon composite, 520
Liao, H. See Pan, J., 244
Lindhout, T. See van der Heiden, A. P., 195
Liu, J. See Kilpadi, D. V., 646
Liu, Q.
—; de Wijn, J. R.; van Blitterswijk, C. A.: Covalent bonding of PMMA, PBMA, and poly(HEMA) to hydroxyapatite particles, 257
—; de Wijn, J. R.; van Blitterswijk, C. A.: A study on the grafting reaction of isocyanates with hydroxyapatite particles, 358
—; de Wijn, J. R.; van Blitterswijk, C. A.: Composite biomaterials with chemical bonding between hyroxyapatite filler particles and PEG/PBT copolymer matrix, 490
—; See Li, S., 520
Löcklin, E. See Posset, U., 640
Lomb, M. See Wilke, A., 301
Louwerse, R. T. See Klein-Nulend, J., 614
Lundeen, G. A. See Bloebaum, R. D., 104
Lundkvist, A. S. See Balooch, M., 539
Lussi, A. See Cochran, D. L., 1

Makinouchi, K. See Takami, Y., 24
Marshall, G. W. See Balooch, M., 539
Marshall, N. J. See Goodwin, C. J., 204
Marshall, S. J. See Balooch, M., 539

Maxian, S. H.
—; Di Stefano, T.; Melican, M. C.; Tiku, M. L.; Zawadsky, J. P.: Bone cell behavior on Matrigel®-coated Ca/P coatings of varying crystallinities, 171
Mayes, A. M. See Irvine, D. J., 498
McKee, M. D. See Nanci, A., 324
Melican, M. C. See Maxian, S. H., 171
Merle, C. See Gautier, H., 606
Merrill, E. W. See Sofia, S. J., 153
Mohsen, N. M.
—; Craig, R. G.; Filisko, F. E.: Effects of curing time and filler concentration on curing and postcuring of urethane dimethacrylate composites: A microcalorimetric study, 224
Monteiro, O. R. See Ignatius, M. J., 264
Monthéard, J. P. See Moreau, M. F., 124
Moore, B. K. See Beatty, M. W., 12
Moreau, M. F.
—; Chappard, D.; Lesourd, M.; Monthéard, J. P.; Baslé, M. F.: Free radicals and side products released during methylmethacrylate polymerization are cytotoxic for osteoblastic cells, 124
Morikawa, N. See Hisano, N., 115
Moroni, A. See Savarino, L., 86
Motta, A. See Santin, M., 434
Mounier, F. See Drubaix, I., 442

Nadeau, J. G. See Vogler, E. A., 92
Nagaswami, C. See Herbert, C. B., 551
Nakamura, T. See Fujita, H., 145
Nanci, A.
—; Wuest, J. D.; Peru, L.; Brunet, P.; Sharma, V.; Zalzal, S.; McKee, M. D.: Chemical modification of titanium surfaces for covalent attachment of biological molecules, 324
Navone, R. See Bosetti, M., 307
Neff, J. A.
—; Caldwell, K. D.; Tresco, P. A.: A novel method for surface modification to promote cell attachment to hydrophobic substrates, 511
Nemoto, K. See Nishiyama, N., 458
Nishide, H. See Sakai, H., 66
Nishiyama, N.
—; Asakura, T.; Suzuki, K.; Sato, T.; Nemoto, K.: Adhesion mechanisms of resin to etched dentin primed with *N*-methacryloyl glycine studied by ^{13}C-NMR, 458
Nosé, Y. See Takami, Y., 24

Ogale, A. A. See Deng, M., 214
Oh, S. Y. See Kim, S. S., 401
Okano, T. See von Recum, H. A., 631
Okuhar, M. See von Recum, H. A., 631
Orth, J. See Wilke, A., 301
Otsuka, G. See Takami, Y., 24

Pan, J.
—; Liao, H.; Leygraf, C.; Thierry, D.; Li, J.: Variation of oxide films on titanium induced by osteoblast-like cell culture and the influence of an H_2O_2 pretreatment, 244
Pariente, J. L.
—; Bordenave, L.; Bareille, R.; Rouais, F.; Courtes, C.; Daude, G.; le Guillou, M.; Baquey, C.: First use of cultured human urothelial cells for biocompatibility assessment: Application to urinary catheters, 31
Park, K. D. See Lee, J. H., 314
Park, S.-I. See Sakai, H., 66
Pascaretti, C. See Baslé, M. F., 350
Pearson, M. L.
—; Goodman, S. B.; Huie, P.; Sibley, R. K.: Inducible nitric oxide synthase messenger RNA levels in hip periprosthetic tissue: A preliminary study, 419
Pellat, B. See Senni, K., 164
Peluso, G. See Wassall, M. A., 365
Pereira, M. C.
—; Pereira, M. L.; Sousa, J. P.: Evaluation of nickel toxicity on liver, spleen, and kidney of mice after administration of high-dose metal ion, 40
Pereira, M. L. See Pereira, M. C., 40
Peru, L. See Nanci, A., 324
Phillips, R. W. See Beatty, M. W., 12
Pijpers, A. P. See van der Heiden, A. P., 195
Pilet, P. See Guicheux, J., 79
—; See Kimakhe, S., 336
—; See Guicheux, J., 560
Pizzoferrato, A. See Savarino, L., 86
—; See Stea, S., 545
Posset, U.
—; Löcklin, E.; Thull, R.; Kiefer, W.: Vibrational spectroscopic study of tetracalcium phosphate in pure polycrystalline form and as a constituent of a self-setting bone cement, 640
Prigent-Richard, S.
—; Cansell, M.; Vassy, J.; Viron, A.; Puvion, E.; Jozefonvicz, J.; Letourneur, D.: Fluorescent and radiolabeling of polysaccharides: Binding and internalization experiments on vascular cells, 275
Pruitt, L. See Goldman, M., 378
Puvion, E. See Prigent-Richard, S., 275

Radice, M. See Zacchi, V., 187
Raikar, G. N. See Kilpadi, D. V., 646
Reichert, W. M. See Bhat, V. D., 57
—; See Sharkawy, A. A., 586
—; See Sharkawy, A. A., 598
Renard, G. See Drubaix, I., 442
Rhee, J. M. See Kim, S. S., 401
Rietveld, F. J. R. See Hulshoff, J. E. G., 464
Rizzo, E. See Bosetti, M., 307
Robert, L. See Drubaix, I., 442
Roberts, T. A. See Beatty, M. W., 12
Rouais, F. See Pariente, J. L., 31
Rozing, P. M. See Clemens, J. A. M., 341

Sakai, H.
—; Tsai, A. G.; Kerger, H.; Park, S.-I.; Takeoka, S.; Nishide, H.; Tsuchida, E.; Intaglietta, M.: Subcutaneous microvascular responses to hemodilution with a red cell substitute consisting of polyethyleneglycol-modified vesicles encapsulating hemoglobin, 66
Sakurai, Y. See von Recum, H. A., 631
Santin, M. See Wassall, M. A., 365
—; Motta, A.; Cannas, M.: Changes in serum conditioning profiles of glutaraldehyde-crosslinked collagen sponges after their treatment with calcification inhibitors, 434
Satija, S. K. See Irvine, D. J., 498
Sato, T. See Nishiyama, N., 458
Savarino, L.
—; Stea, S.; Ciapetti, G.; Granchi, D.; Donati, M. E.; Cervellati, M.; Visentin, M.; Moroni, A.; Pizzoferrato, A.: The interface of bone microstructure and an innovative coating: An X-ray diffraction study, 86
—; See Stea, S., 545
Sawhney, N. See Ignatius, M. J., 264
Schaaf, P. See Bentaleb, A., 449
Schenk, R. K. See Cochran, D. L., 1
Schoen, F. J. See Vyavahare, N. R., 577
Semeins, C. M. See Klein-Nulend, J., 614
Senni, K.
—; Borchiellini, C.; Duchesnay, A.;

Pellat, B.; Letourneur, D.; Kern, P.: Antiproliferative polysaccharides modulate distrubution and phenotypic expression of collagens by gingival fibroblasts, 164
Shalaby, S. W. See Deng, M., 214
Sharkawy, A. A.
—; Klitzman, B.; Truskey, G. A.; Reichert, W. M.: Engineering the tissue which encapsulates subcutaneous implants. II. Plasma-tissue exchange properties, 586
—; Klitzman, B.; Truskey, G. A.; Reichert, W. M.: Engineering the tissue which encapsulates subcutaneous implants. III. Effective tissue response times, 598
Sharma, V. See Nanci, A., 324
Shin, B. C. See Kim, S. S., 401
Sibley, R. K. See Pearson, M. L., 419
Siekhous, W. J. See Balooch, M., 539
Sigrist, H. See Borkenhagen, M., 392
Skedros, J. G. See Kuo, T. Y., 475
Sofia, S. J.
—; Merrill, E. W.: Grafting of PEO to polymer surfaces using electron beam irradiation, 153
Sofia-Allgor, S. J. See Irvine, D. J., 498
Soranzo, C. See Zacchi, V., 187
Sousa, J. P. See Pereira, M. C., 40
Stea, S. See Savarino, L., 86
—; Visentin, M.; Cervellati, M.; Verri, E.; Cenni, E.; Savarino, L.; Stea, S.; Pizzoferrato, A.: *In vitro* sister chromatid exchange induced by glass ionomer cements, 545
Stea, S. See Stea, S., 545
Steele, J. G. See Evans, M. D. M., 621
Suzuki, K. See Nishiyama, N., 458
Swartz, M. L. See Beatty, M. W., 12

Takami, Y.
—; Yamane S.; Makinouchi, K.; Otsuka, G.; Glueck, J.; Benkowski, R.; Nosé, Y.: Protein adsorption onto ceramic surfaces, 24
Takeoka, S. See Sakai, H., 66
Tamura, J. See Fujita, H., 145
Thibadeau, B. M. See Ignatius, M. J., 264
Thierry, D. See Pan, J., 244
Thull, R. See Posset, U., 640
Tiku, M. L. See Maxian, S. H., 171
Tong, W.
—; Yang, Z.; Zhang, X.; Yang, A.; Feng, J.; Cao, Y.; Chen, J.: Studies on diffusion maximum in x-ray diffraction patterns of plasma-sprayed hydroxyapatite coatings, 407
Torzilli, P. A.
—; Grande, D. A.; Arduino, J. M.: Diffusive properties of immature articular cartilage, 132
Tresco, P. A. See Neff, J. A., 511
Truskey, G. A. See Bhat, V. D., 57
—; See Sharkawy, A. A., 586
—; See Sharkawy, A. A., 598
Tsai, A. G. See Sakai, H., 66
Tsuchida, E. See Sakai, H., 66

van Blitterswijk, C. A. See Liu, Q., 257
—; See Liu, Q., 358
—; See Liu, Q., 490
van der Heiden, A. P.
—; Willems, G. M.; Lindhout, T.; Pijpers, A. P.; Koole, L. H.: Adsorption of proteins onto poly(ether urethane) with a phosphorylcholine moiety and influence of preadsorbed phospholipid, 195
van Dijk, K. See Hulshoff, J. E. G., 464
Vassy, J. See Prigent-Richard, S., 275
Verri, E. See Stea, S., 545
Viron, A. See Prigent-Richard, S., 275
Visentin, M. See Savarino, L., 86
—; See Stea, S., 545
Voegel, J. C. See Bentaleb, A., 449
Vogler, E. A.
—; Nadeau, J. G.; Graper, J. C.: Contact activation of the plasma coagulation cascade. III. Biophysical aspects of thrombin-binding anticoagulants, 92
Vohra, Y. See Kilpadi, D. V., 646
von Recum, A. F. See den Braber, E. T., 291
von Recum, H.A.
—; Kim, S. W.; Kikuchi, A.; Okuhar, M.; Sakurai, Y.; Okano, T.: Novel thermally reversible hydrogel as detachable cell culture substrate, 631
Vriesde, R. C. See Clemens, J. A. M., 341
Vyavahare, N. R.
—; Hirsch, D.; Lerner, E.; Baskin, J. Z.; Zand, R.; Schoen, F. J.; Levy, R. J.: Prevention of calcification of glutaraldehyde-crosslinked porcine aortic cusps by ethanol preincubation: Mechanistic studies of protein structure and water–biomaterial relationships, 577

Wassall, M. A.
—; Santin, M.; Peluso, G.; Denyer, S. P.: Possible role of α-1-microglobulin in mediating bacterial attachment to model surfaces, 365
Weisel, J. W. See Herbert, C. B., 551
Wilke, A.
—; Orth, J.; Lomb, M.; Fuhrmann, R.; Kienapfel, H.; Griss, P.; Franke, R. P.: Biocompatibility analysis of different biomaterials in human bone marrow cell cultures, 301
Willems, G. M. See van der Heiden, A. P., 195
Winet, H.
—; Bao, J. Y.: Fibroblast growth factor-2 alters the effect eroding polylactide–polyglycolide on osteogenesis in the bone chamber, 567
Wuest, J. D. See Nanci, A., 324
Wuisman, P. I. J. M. See Klein-Nulend, J., 614
Wu-Magidi, I-C. See Balooch, M., 539

Yamane S. See Takami, Y., 24
Yang, A. See Tong, W., 407
Yang, Z. See Tong, W., 407
Yao, N.-K. See Young, T.-H., 385
Young, T.-H.
—; Chuang, W.-Y.; Yao, N.-K.; Chen, L.-W.: Use of a diffusion model for assessing the performance of poly(vinyl alcohol) bioartificial pancreases, 385

Zacchi, V.
—; Soranzo, C.; Cortivo, R.; Radice, M.; Brun, P.; Abatangelo, G.: *In vitro* engineering of human skin-like tissue, 187
Zalzal, S. See Nanci, A., 324
Zand, R. See Vyavahare, N. R., 577
Zawadsky, J. P. See Maxian, S. H., 171
Zhang, X. See Tong, W., 407
Zheng, Z. See Li, S., 520

Journal of Biomedical Materials Research
Subject Index—Volume 40

Actin, 291
Adhesion, 371
Adhesion mechanism, 458
Adsorbed protein, 660
α-lactalbumine, 449
Albumin, 24
α-1-microglobulin, 365
Amorphous phase, 407
Anticoagulation, 92
Apatite, 606
Aptamers, 92
Artificial cornea, 442
Atomic force microscope (AFM), 539
Avidin–biotin, 57
AW glass–ceramic, 145

Bacterial adhesion, 365, 660
Barium, 31
Bioactive bone cement, 145
Bioactive coating, 324
Bioactive glass, 48
Bioactivity, 145, 204
Bioartificial pancreas, 115, 385
Biocompatibility, 86, 153, 301, 307, 545, 567
Biocompatibility evaluation, 31
Biocompatible, 264
Biodegradable material, 139
Biomaterials, 40, 301, 350, 545
Biomechanical properties, 139
Bioprostheses, 434, 577
Biphasic calcium phosphate, 79, 560
Biphasic calcium phosphate ceramic, 336
Bis–GMA resin, 145
Blood, 92
Bone, 464
Bone cements, 124, 139, 257
Bone formation, 282
Bone ingrowth, 560
Bone-related proteins gene expression, 171
Bone response, 1
Bone substitutes, 282, 350

Calcification inhibitors, 434
Calcium phosphate cement, 640
Calcium phosphate coatings, 464
Calcium phosphate hydraulic cement, 139
Calvarial cells, 171
Cartilage, 414, 614
Cartilage repair, 614
Cell adhesion, 48, 57, 511, 621
Cell aggregation, 401
Cell culture, 244, 401, 631
Cell degradation, 79, 336
Cell detachment, 631
Cell differentiation, 282
Cell-specific alkaline phosphatase activity, 171
Cellular invasion, 442
Cellular orientation, 425
Cellular proliferation, 307
Cellulose membrane, 401
Ceramic, 24, 86
Ceramic resorption, 560
Chargeable functional groups, 180
Chemical aging of UDMA, 224
Chimpanzee femur, 475
CHO cells, 401
^{13}C-NMR, 458
Co-Cr-Mo, 233
Coagulation, 92, 551
Coating, 86, 520
Collagen, 164, 350, 434, 539
Collagen/apatite composite, 520
Composites, 214, 257, 490
Compression test, 139
Confocal analysis, 275
Corneal epithelial cell, 621
Corona discharge, 180
Corrosion, 233
Coupling agents, 358, 490
Covalent attachment, 324
Creep, 214
Cytotoxicity, 124

Dental implants, 282
Dental material, 282
Dentin, 539
Dentin primer, 458
Dentinal collagen, 458
Dextran, 164
Diisocyanate, 490
Dissolution, 104, 530
Disulfide bond, 115
DNA ligands, 92
Drug delivery system, 560, 606
DTAF labeling, 275

Elastic modulus, 539
Electron beam irradiation, 153
Electron microscopy, 551
Ellipsometry, 195
Encapsulation, 586
End-functional polymers, 498
Endogenous protein, 621
Endothelialization, 57
Enthalpy changes of UDMA, 224
Entrapment, 115
Epithelial cell, 631
ePTFE, 442
Erodible polymer, 567
Exchange process, 449
External fixation, 86
Extracellular matrix, 187, 264, 392

Fatigue, 378
Femur morphology, 475
Fibrin tissue adhesive, 551
Fibrinogen, 24, 551
Fibroblast growth factor-2, 567
Fibronectin, 24, 48, 291
Filler effects in composites on enthalpy changes, 224
Fluorapatite, 341
Focal adhesion point, 425
Foreign body response, 586, 598
Free radicals, 124
FT-IR spectroscopy, 640

Gamma sterilization, 378
Gap-healing, 341
Gas sterilization, 378
Genotoxicity, 545
Gingiva, 164
Glass ionomer cement, 545
Glutaraldehyde, 434
Gradient surfaces, 180
Grafted PEO, 498
Grafting, 520
Granulometry, 606
Greyhound femur, 475

Grooves, 291
Growth factors, 614
Growth hormone, 79, 560, 606
Growth hormone delivery, 204
Guidance channel, 392

HA, 104
Hemoglobin, 66
Heparan sulfate, 371
Heparin, 164
Hexamethylene diisocyanate, 358
Histology, 40
H_2O_2, 244
Human bone marrow cell culture, 301
Human femur, 475
Hyaluronan, 442
Hyaluronate, 414
Hyaluronic acid derivatives, 187
Hydrogel, 392
Hydrophilicity, 442
Hydroxyapatite, 48, 171, 257, 358, 407, 490
Hydroxyl groups, 358
Hydroxylapatite, 341

IgG, 24
Image analysis, 307
Immature cartilage, 132
Immobilization, 324
Impedance spectroscopy, 233
Implants, 244, 341, 598
in vitro, 425, 464
in vitro study, 124
Infrared spectroscopy, 577
Insulin release, 385
Integrins, 187, 350, 371
Interface, 490
Interpenetrating network, 631
Islet, 115
Isocyanatoethyl methacrylate, 358

Kinetics, 449

Lipopolysaccharides, 79, 336
Liposome, 66
Loaded implants, 1
Low temperature sterilization, 378
Lubrication, 414
Lubricin, 414

Macrophage, 104
Magnetron sputtering, 464
Mammary tissue expanders, 307
Mass transfer model, 385
Materials testing, 31
Mathematical model, 92
Mechanical properties, 12, 145, 490, 539
Methylmethacrylate, 124
MIB-1, 307
Mice, 40
Microcalorimetry measurements, 224
Microcirculation, 66
Microelectrodes, 40
Model surface, 511
Monocyte, 79, 336

N-methacryloyl glycine, 458
Nanocrystalline, 407
Nerve regeneration, 392, 551
Neurite extension, 392
Neuron growth, 264
Nickel, 40

Oligopeptide, 392
Osseointegration, 1
Osteoblasts, 124, 244, 350, 371, 464
Osteoconduction, 139
Osteogenesis, 567
Osteogenic protein-1, 614
Osteointegration, 282
Osteolysis, 104
Oxide film, 244

Particles, 104
Particulate leaching, 204
PEO, 153
PEO chemistry, 511
Peptide, 371
Perifusion, 385
Permeability, 586
Phospholipid adsorption, 195
Phosphorylation, 401, 520
Phosphorylcholine, 195
Plasma, 92
Plasma deposition, 264
Plasma etching, 425
Plasma-sprayed coatings, 341
Plasma spraying, 407
Plasma sterilization, 378
Platelet adhesion, 180, 314
Platinum, 233
Polyactive™, 490
Poly(butyl methacrylate), 257
Poly(ϵ-caprolactone), 204
Polyethylene oxide (PEO), 314
Polyethyleneglycol, 66
Poly(hydroxyethyl methacrylate), 257
Polylactide–polyglycolide, 567
Polymer, 621
Polymer surface modification, 153
Polymerization, 124
Poly(methyl methacrylate), 257
Polymethylmethacrylate, 124
Polymyxin B, 336
Polysaccharides, 164, 275
Polyurethane, 195, 660
Porosity, 586
Porous ingrowth, 567
Prolylprolylglycyl oligomer, 458
Protein adsorption, 24, 195, 365, 449, 498
Protein conformation, 48
Ps. aeruginosa, 365
PTFE, 586, 598
PVA, 586, 598
PVA tubular membranes, 385
Pyrolytic carbon, 307

Radiolabeling, 275
Raman spectroscopy, 640
Red cell substitute, 66
Redox polymerization, 124
Reflectivity, 498
Regeneration, 264
Repassivation, 530
Resin composite, 12
Reversible gel, 115
RGD peptide, 511

Segmented polyurethane, 314
Sensors, 598
Serum conditioning, 434
Setting reaction, 640
Silane effects in composites on enthalpy changes, 224
Silane treatment, 12
Silanization, 324
Simulated bioliquid, 530
Sister chromatid exchange, 545
Skin substitute, 187
Smooth-muscle cells, 275
Solute diffusion, 132
Solvent casting, 204
Specific area, 606
Star polymers, 498
Structure, 378
Subcutaneous implants, 586, 598
Sulfonated PEO, 314
Surface characteristics, 1
Surface chemistry, 621
Surface composition, 646
Surface energy, 646
Surface grafting, 180, 257, 490
Surface modification, 314, 358, 511
Surface oxide, 530
Surface roughness, 646
Surface topography, 291, 425
Surface treatment, 646

3D carbon/carbon composite, 520
Tetracalcium phosphate, 640
Thermoresponsive polymer surface, 631
Thrombin, 92
Thrombin ligand, 92
Thrombosis, 660
Time–temperature superposition, 214
Tissue engineering, 392, 614
Tissue response, 598
Titanium, 171, 233, 244, 324, 530, 646
Titanium implants, 1

Titanium oxide, 449
Total hip replacement, 475
Translucence, 442
Type I collagen, 577

UHMWPE, 378
Ultra-high-molecular-weight polyethylene, 214
Ultrathin films, 264
Urinary catheters, 31
Urothelial cell culture, 31

Vascular grafts, 57
Vascularity, 598
Vasculature, 586
Video microscopy, 660
Vinculin, 291
Viscoelastic properties, 214
Viscoelasticity, 539
Vitronectin, 291

Water sorption, 12
Wear, 378, 414

Xenogenic bone, 350
XPS, 153
XPS and EIS, 244
X-ray diffraction, 86